

SUSTAINABLE SOLUTIONS LINE CARD



ARKEMA
INNOVATIVE CHEMISTRY



EASTMAN

GEON
Performance Solutions

INEOS
STYROLUTION

lyondellbasell
| | | |

PolyOne
™

RheTech
Polymer Compounding and Color Services
A HEXPOL COMPANY

At PolyOne Distribution, we understand the challenges and opportunities associated with meeting your sustainability goals. Our sustainable solutions portfolio includes materials made with bio-based, renewably-sourced and recycled content as well as services and solutions for lightweighting and lead replacement.


Visit www.polyonedistribution.com to explore the latest details on our products and services or call +1.866.765.9663 to discuss how PolyOne Distribution can help you with your sustainability efforts.

MATERIAL	SUPPLIER	PRODUCT NAME	SOLUTIONS AVAILABLE IN SELECT GRADES*
ABS	PolyOne Distribution	n/a	Contains a minimum of 25% recycled content
Cellulosics	Eastman	Tenite™	Made from 100% renewable softwood materials
Compatibilizer	Dow	RETAIN™	Polymer modifiers that enable the recyclability of PE film structures that use EVOH or PA for the barrier layer
HIPS	PolyOne Distribution	n/a	Contains a minimum of 25% recycled content
Long Fiber Composites	PolyOne	Complēt™ OnForce™	Provide lighter weight alternatives to steel (~80% lighter) and aluminum (~50% lighter)
MBS	INEOS Styrolution	Zylar® Ultra Black	Made from up to 54% post-industrial content
PA	Arkema	Rilsan®	Contains 17%–97% renewable, bio-based material
PA	DuPont	Zytel® RS	Contains between 20% and 100% biopolymer content
PA	PolyOne	Nymax™ PIR	Contains 20%–100% post-industrial recycled nylon
PC/ABS	Covestro	Bayblend®	Contains 10–35% post-consumer recycled content
PEBA	Arkema	Pebax® Rnew®	Contains 24%–97% bio-based material



MATERIAL	SUPPLIER	PRODUCT NAME	SOLUTIONS AVAILABLE IN SELECT GRADES*
PP	LyondellBasell	Hostacom	Contains post-industrial or post-consumer recycled PP & TEO or 25% post-consumer recycled PP
PP	RheTech	PP	Contains a minimum of 25% recycled content
PP	PolyOne Distribution	n/a	Contains a minimum of 25% recycled content
PPA	DuPont	Zytel® HTN	Contains 25% bio-based content
PVC	GEON Performance Solutions	Geon® BIO	Contains a minimum of 25% bio-based content
PVC	GEON Performance Solutions	Geon® Non-Phthalate	Non-phthalate formulations; non-phthalate plastisols
Specialty Formulations	PolyOne	Gravi-Tech™	Lead replacement technologies
TPC-ET	DuPont	Hytel® RS	Contains between 20% and 60% renewably sourced material
TPE	PolyOne	reSound™ OM	Utilizes between 40% and 50% bio-renewable content derived from sugarcane
TPO (POE)	LyondellBasell	Hostacom	Contains post-industrial or post-consumer recycled PP & TEO. Percentage of recycled content may vary.

*Details provided reflect descriptions for select grades as identified by individual suppliers as sustainable.



POLYONE DISTRIBUTION WHERE WE OPERATE

UNITED STATES & CANADA

- 45 warehouses
- 110 dedicated sellers
- 11 Technical Development Reps

MEXICO

- 2 warehouses, service center
- 14 dedicated sellers
- 1 Technical Development Rep

COSTA RICA, PUERTO RICO & DOMINICAN REPUBLIC

- 3 warehouses
- 2 dedicated sellers

ASIA

- 5 warehouses
- 7 dedicated sellers
- 1 Technical Development Rep

CONTACT INFORMATION

UNITED STATES

Customer Service - West

Rancho Cucamonga, CA

+1 909 987 8899

+1 800 447 4305

fax +1 909 987 5493

Customer Service - East

Littleton, MA

+1 978 772 0764

+1 800 372 2732

fax +1 978 486 4130

Customer Service - Midwest

Romeoville, IL

+1 630 972 0505

+1 800 323 0733

fax +1 630 972 3132

ASIA

Customer Service

Shanghai, China

+86 (0) 21 6028 4805

+86 (0) 21 6028 4999

CANADA

Customer Service

Mississauga, Ontario

+1 905 405 0003

+1 888 394 2662

fax +1 905 405 1580

COSTA RICA, PUERTO RICO & DOMINICAN REPUBLIC

Customer Service

+1 630 972 0505

+1 800 323 0733

fax +1 630 972 3132

MEXICO

Customer Service

Ramos Arizpe Coahuila, Mexico

+52 844 866 0012

www.polyonedistribution.com

PolyOne[™]

Copyright © 2020, PolyOne Corporation. PolyOne makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. PolyOne makes no warranties or guarantees respecting suitability of either PolyOne's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. POLYONE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.